

Galvus



Galvus is a medicine that contains the active substance vildagliptin. It is available as tablets (50 mg). **Galvus** is used to treat type-2 diabetes mellitus. It can be used on its own (monotherapy) in patients whose diabetes is not sufficiently controlled by diet and exercise and who cannot take metformin; also, together with metformin, a thiazolidinedione or a sulphonylurea (dual therapy) when the patient's diabetes is insufficiently controlled by this other medicine taken alone, but it is only used in combination with a sulphonylurea in patients who cannot take metformin. As well it is used together with a sulphonylurea and metformin (triple therapy) in patients whose diabetes is not sufficiently controlled by these medicines plus diet and exercise; also together with insulin (with or without metformin) in patients whose diabetes is not sufficiently controlled by diet and exercise plus a stable dose of insulin.

Active ingredient: [Vildagliptin](#)

Brand(s):Galvus

Manufacturer: Novartis

Disease(s):Diabetes / Type-2 Diabetes Mellitus

Galvus 50mg

	Per pill	Per Pack	Order
28 tablet	\$ 3.00	\$ 83.95	Add to cart
56 tablet	\$ 2.68	\$ 149.95 \$167.90	Add to cart
84 tablet	\$ 2.38	\$ 199.95 \$251.85	Add to cart

Free AirMail shipping

Vildagliptin tablets

What is Vildagliptin?

Generic Galvus is a medicine that contains the active substance vildagliptin. It is available as tablets (50 mg).

What is Vildagliptin used for?

Vildagliptin is used to treat type-2 diabetes mellitus. It can be used in the following ways:

- on its own (monotherapy) in patients whose diabetes is not sufficiently controlled by diet and exercise and who cannot take metformin;
- together with metformin, a thiazolidinedione or a sulphonylurea (dual therapy) when the patient's diabetes is insufficiently controlled by this other medicine taken alone, but it is only used in combination with a sulphonylurea in patients who cannot take metformin;
- together with a sulphonylurea and metformin (triple therapy) in patients whose diabetes is not sufficiently controlled by these medicines plus diet and exercise;
- together with insulin (with or without metformin) in patients whose diabetes is not sufficiently controlled by diet and exercise plus a stable dose of insulin.

Therapeutic Indication

Vildagliptin is indicated in the treatment of type-2 diabetes mellitus in adults:

- as monotherapy in patients inadequately controlled by diet and

